




AUDIO SAN d.o.o. Nova Ves 54 10000 Zagreb OIB:78154524830		Tel: 01/4833-046 Fax:01/234-7691 e-mail info@audiodream.hr
ARTIKL		Cijena s PDV-om
<b>R SERIES</b>		
<b>R900</b>	3-sistemski samostojeći zvučnici; 40 Hz – 28 kHz (± 3dB); 90 dB; 8Ω; Težina: 29.5 kg; Finiš: Visoki sjaj (crni ili bijeli), Rosewood, Walnut; par	<b>30.999,00 kn</b>
<b>R700</b>	3-sistemski samostojeći zvučnici; 42 Hz – 28 kHz (± 3dB); 89 dB; 8Ω; Težina: 25.9 kg; Finiš: Visoki sjaj (crni ili bijeli), Rosewood, Walnut; par	<b>21.999,00 kn</b>
<b>R500</b>	3-sistemski samostojeći zvučnici; 46 Hz – 28 kHz (± 3dB); 88 dB; 8Ω; Težina: 21.8 kg; Finiš: Visoki sjaj (crni ili bijeli), Rosewood, Walnut; par	<b>15.999,00 kn</b>
<b>R300</b>	3-sistemski "bookshelf" zvučnici; 50 Hz – 28 kHz (± 3dB); 88 dB; 8Ω; Težina: 12.0 kg; Finiš: Visoki sjaj (crni ili bijeli), Rosewood, Walnut; par	<b>9.999,00 kn</b>
<b>R100</b>	2-sistemski "bookshelf" zvučnici; 56 Hz – 28 kHz (± 3dB); 86 dB; 8Ω; Težina: 6.6 kg; Finiš: Visoki sjaj (crni ili bijeli), Rosewood, Walnut; par	<b>6.999,00 kn</b>
<b>R600C</b>	3-sistemski centralni zvučnik; 60 Hz – 28 kHz (± 3dB); 89 dB; 8Ω; Težina: 17.2 kg; Finiš: Visoki sjaj (crni ili bijeli), Rosewood, Walnut; komad	<b>9.999,00 kn</b>
<b>R200C</b>	3-sistemski centralni zvučnik; 65 Hz – 28 kHz (± 3dB); 87 dB; 8Ω; Težina: 14.4 kg; Finiš: Visoki sjaj (crni ili bijeli), Rosewood, Walnut; komad	<b>6.499,00 kn</b>
<b>R800ds</b>	3-sistemski dipolarni zvučnici; 100 Hz – 28 kHz (± 3dB); 85 dB; 8Ω; Težina: 7.4 kg; Finiš: Visoki sjaj (crni ili bijeli), Rosewood, Walnut; par	<b>12.499,00 kn</b>
<b>R400b</b>	Aktivni subwoofer; 2 x 225 mm bass jedinica; Frekvencijski raspon: 26 – 140 Hz (-6 dB); Snaga pojačala: 2x250W (500W); Težina: 21.5 kg; Finiš: Visoki sjaj (crni ili bijeli); komad	<b>10.999,00 kn</b>
<b>R50</b>	Dolby Atmos enabled zvučnici; 105 Hz – 18.5 kHz (± 3dB); 85 dB; 8Ω; Težina: 4.5 kg; Finiš: Visoki sjaj (crni); par	<b>7.999,00 kn</b>
<b>Q SERIES</b>		
<b>Q900</b>	2.5-sistemski samostojeći zvučnici; 32 Hz – 40 kHz (± 3dB); 91 dB; 8Ω; Težina: 22.1 kg; Finiš: Black Ash, White, Walnut	<b>14.999,00</b>
<b>Q700</b>	2.5-sistemski samostojeći zvučnici; 36 Hz – 40 kHz (±3 dB); 89 dB; 8Ω; Težina: 17.2 kg; Finiš: Black Ash, White, Walnut; par	<b>11.999,00</b>
<b>Q500</b>	2.5-sistemski samostojeći zvučnici; 40 Hz – 40 kHz (±3 dB); 89 dB; 8Ω; Težina: 15 kg; Finiš: Black Ash, White, Walnut; par	<b>8.999,00</b>
<b>Q300</b>	2-sistemski "bookshelf" zvučnici; 42 Hz – 40 kHz (±3 dB); 87 dB; 8Ω; Težina: 7.7 kg; Finiš: Black Ash, White, Walnut; par	<b>5.499,00</b>
<b>Q100</b>	2-sistemski "bookshelf" zvučnici; 49 Hz – 40 kHz (±3 dB); 86 dB; 8Ω; Težina: 5.9 kg; Finiš: Black Ash, White, Walnut; par	<b>4.499,00</b>
<b>Q600c</b>	3-sistemski centralni zvučnik; 45 Hz – 40 kHz (±3 dB); 87 dB; 8Ω; Težina: 14.1 kg; Finiš: Black Ash, White, Walnut; komad	<b>4.999,00</b>
<b>Q200c</b>	3-sistemski centralni zvučnik; 50 Hz – 40 kHz (±3 dB); 85 dB; 8Ω; Težina: 11.0 kg; Finiš: Black Ash, White, Walnut; komad	<b>3.499,00</b>
<b>Q800ds</b>	3-sistemski dipolarni zvučnici; 100 Hz – 40 kHz (±3 dB); 85 dB; 8Ω; Težina: 7.4 kg; Finiš: Black Ash, White, Walnut; par	<b>6.999,00</b>
<b>Q400b</b>	Aktivni subwoofer; 1 x 250 mm bass jedinica; Frekvencijski raspon: 28 – 140 Hz (±3 dB); Snaga pojačala: 200W; Težina: 13.6 kg; Finiš: Black Ash, White, Walnut; komad	<b>4.999,00</b>
<b>LS50</b>		
<b>LS50</b>	2-sistemski "bookshelf" zvučnici; 79 Hz – 28 kHz (±3 dB); 85 dB; 8Ω; Težina: 7.2 kg; Finiš: Black, White, Frosted Black, Dark Titanium, Racing Red, par	<b>9.499,00</b>
<b>T SERIES</b>		
<b>T 305 system</b>	Komplet zvučnika sa subwooferom; pet velikih T301 satelita + T2 subwoofer; Finiš: crni	<b>15.999,00</b>
<b>T 205 system</b>	Komplet zvučnika sa subwooferom; tri velika T301 satelita, dva manja T102 satelita + T2 subwoofer; Finiš: Bijeli ili crni	<b>13.999,00</b>
<b>T 105 system</b>	Komplet zvučnika sa subwooferom; pet manjih T101 satelita + T2 subwoofer; Finiš: crni	<b>11.499,00</b>
<b>T 301</b>	2.5-sistemski zvučnici; 80 Hz – 30 kHz; 88 dB; 8Ω; Težina: 1.5 kg; Finiš: Black, White	<b>4.399,00</b>
<b>T 101</b>	2-sistemski zvučnici; 80 Hz – 30 kHz; 87 dB, 90 dB (wall mount); 8Ω; Težina: 1.0 kg; Finiš: Black, White	<b>3.099,00</b>

AUDIO SAN d.o.o. Nova Ves 54 10000 Zagreb OIB:78154524830		Tel: 01/4833-046 Fax:01/234-7691 e-mail info@audiodream.hr
ARTIKL		Cijena s PDV-om
T 301c	2.5-sistemski centralni zvučnik; 80 Hz – 30 kHz; 91 dB; 8Ω; Težina: 1.5 kg; Finiš: Black, White	2.199,00
T 101c	2-sistemski centralni zvučnik; 80 Hz – 30 kHz; 87 dB, 90 dB (wall mount); 8Ω; Težina: 1.0 kg; Finiš: Black, White	1.599,00
T 2	Aktivni subwoofer; 1 x 250 mm bass jedinica; Frekvencijski raspon: 30 – 250 Hz; Snaga pojačala: 250 W; Težina: 13.0 kg; Finiš: Black, White	4.999,00
T stand	Stalak za T seriju zvučnika, Finiš: Black, White	1.399,00
E SERIES		
E 305	Komplet zvučnika sa subwooferom; pet E301 satelita + E2 subwoofer; Finiš: crni ili bijeli	8.199,00
E 305 stand	Stalak za E 301 satelite; Finiš: crni ili bijeli	829,00
E 301 Satellites	2-sistemski sateliti, 90 Hz – 33 kHz (±3 dB), 86 dB, 8Ω, Težina 2.4 kg; Finiš: crni ili bijeli	1.699,00
OUTDOOR		
Ventura 4	2-sistemski zvučnici s kabinetom otpornim na vremenske uvjete, 75 Hz – 20 kHz (±3 dB), 88 dB, 6Ω; Težina: 2.4 kg; Finiš: White	2.399,00
Ventura 5	2-sistemski zvučnici s kabinetom otpornim na vremenske uvjete, 60 Hz – 20 kHz (±3 dB), 89 dB, 6Ω; Težina: 3.3 kg; Finiš: Black, White	2.899,00
Ventura 6	2-sistemski zvučnici s kabinetom otpornim na vremenske uvjete, 54 Hz – 20 kHz (±3 dB), 90 dB, 6Ω; Težina: 3.8 kg; Finiš: White	3.599,00
Ci SERIES		
Ci50	Ugradbeni zvučnik, 6Ω, 82 dB, Frequency Response (+/-6dB With back can/rear enclosure) 170 Hz – 20 kHz; Finiš: White, Brass, Stainless Steel or Chrome Trim, komad	499,00
Ci3-80QT	Stropni ugradbeni zvučnik, 8Ω, 87 dB, Frequency Response +/-6dB With back can/rear enclosure: 87 Hz – 27 kHz, Finiš: White, komad	3.899,00
Ci80.2QR	Ugradbeni zvučnik, 4Ω, 85 dB, Frequency Response (+/-6dB With back can/rear enclosure): 130Hz – 27 kHz; Finiš: White, komad	999,00
Ci100QS	Ugradbeni zvučnik kvadratnog oblika, 4Ω, 88 dB; Frequency response (±6dB) open-backed: 130 Hz – 27 kHz; Finiš: White; komad;	1.399,00
Ci100QR	Ugradbeni zvučnik kružnog oblika, 4Ω, 88 dB; Frequency Response +/-6dB With back can/rear enclosure: 110 Hz – 27 kHz; Finiš: White; komad;	1.099,00
Ci110FCT	Ugradbeni zvučnik kružnog oblika, 8Ω, 89 dB; Frequency Response +/-6dB With back can/rear enclosure: 110 Hz – 18 kHz; Finiš: White; komad;	1.199,00
Ci115QCT	Ugradbeni zvučnik kružnog oblika, 8Ω, 86 dB; Frequency Response +/-6dB With back can/rear enclosure: 70 Hz – 20 kHz; Finiš: White; komad;	1.799,00
Ci130QS	Ugradbeni zvučnik kvadratnog oblika, 8Ω, 87 dB; Frequency response (±6dB) open-backed: 45 Hz – 34 kHz; Finiš: White; komad;	1.899,00
Ci130CS	Ugradbeni zvučnik kvadratnog oblika, 8Ω, 87 dB; Frequency response (±6dB) open-backed: 52 Hz – 20 kHz; Finiš: White; komad;	1.399,00
Ci130QR	Ugradbeni zvučnik kružnog oblika, 8Ω, 87 dB; Frequency Response +/-6dB 2pi/open-backed: 45 Hz – 34 kHz; Finiš: White; komad;	1.899,00
Ci130CR	Ugradbeni zvučnik kružnog oblika, 8Ω, 87 dB; Frequency Response +/-6dB 2pi/open-backed: 52 Hz – 20 kHz; Finiš: White; komad;	1.399,00
Ci160QL	Ugradbeni zvučnik kvadratnog oblika, 8Ω, 89 dB; Frequency response (±6dB) open-backed: 38 Hz – 34 kHz; Finiš: White; komad;	2.499,00
Ci160CL	Ugradbeni zvučnik kvadratnog oblika, 8Ω, 89 dB; Frequency response (±6dB) open-backed: 52 Hz – 20 kHz; Finiš: White; komad;	1.899,00
Ci160SL	Ugradbeni zvučnik kvadratnog oblika, 8Ω, 89 dB; Frequency response (±6dB) open-backed: 52 Hz – 20 kHz; Finiš: White; komad;	1.499,00
Ci160QS	Ugradbeni zvučnik kvadratnog oblika, 8Ω, 89 dB; Frequency response (±6dB) open-backed: 38 Hz – 34 kHz; Finiš: White; komad;	2.399,00
Ci160CS	Ugradbeni zvučnik kvadratnog oblika, 8Ω, 89 dB; Frequency response (±6dB) open-backed: 52 Hz – 20 kHz; Finiš: White; komad;	1.799,00
Ci160CSds	Ugradbeni zvučnik kvadratnog oblika, Dual Stereo 8Ω, 91 dB; Frequency response (±6dB) open-backed: 50 Hz – 20 kHz; Finiš: White; komad;	1.999,00

AUDIO SAN d.o.o.  
Nova Ves 54  
10000 Zagreb  
OIB:78154524830



Tel: 01/4833-046  
Fax:01/234-7691  
e-mail  
info@audiodream.hr

ARTIKL		Cijena s PDV-om
<b>Ci160SS</b>	Ugradbeni zvučnik kvadratnog oblika, 8Ω, 89 dB; Frequency response (±6dB) open-backed: 52 Hz – 20 kHz; Finiš: White; komad;	<b>1.399,00</b>
<b>Ci160QR</b>	Ugradbeni zvučnik kružnog oblika, 8Ω, 89 dB; Frequency Response +/-6dB 2pi/open-backed: 38 Hz – 34 kHz; Finiš: White; komad;	<b>2.399,00</b>
<b>Ci160CR</b>	Ugradbeni zvučnik kružnog oblika, 8Ω, 89 dB; Frequency Response +/-6dB 2pi/open-backed: 52 Hz – 20 kHz; Finiš: White; komad;	<b>1.799,00</b>
<b>Ci160CRds</b>	Ugradbeni zvučnik kružnog oblika, Dual Stereo; 8Ω, 91 dB; Frequency response (±6dB) open-backed: 50 Hz – 20 kHz; Finiš: White; komad;	<b>1.999,00</b>
<b>Ci160SR</b>	Ugradbeni zvučnik kružnog oblika, 8Ω, 89 dB; Frequency response (±6dB) open-backed: 52 Hz – 20 kHz; Finiš: White; komad;	<b>1.399,00</b>
<b>Ci160TR</b>	Ugradbeni zvučnik kružnog oblika, 8Ω, 87 dB; Frequency response (±6dB) open-backed: 110 Hz – 24 kHz; Finiš: White; komad;	<b>2.599,00</b>
<b>Ci160QCT</b>	Ugradbeni zvučnik kružnog oblika, 8Ω, 89 dB; Frequency Response +/-6dB With back can/rear enclosure: 60 Hz – 20 kHz; Finiš: White; komad;	<b>2.199,00</b>
<b>Ci200QL</b>	Ugradbeni zvučnik kvadratnog oblika, 8Ω, 90 dB; Frequency response (±6dB) open-backed: 35 Hz – 34 kHz; Finiš: White; komad;	<b>3.399,00</b>
<b>Ci200CL</b>	Ugradbeni zvučnik kvadratnog oblika, 8Ω, 90 dB; Frequency response (±6dB) Open-backed: 45 Hz – 20 kHz; Finiš: White; komad;	<b>2.699,00</b>
<b>Ci200QS</b>	Ugradbeni zvučnik kvadratnog oblika, 8Ω, 90 dB; Frequency response (±6dB) Open-backed: 35 Hz – 34 kHz; Finiš: White; komad;	<b>3.099,00</b>
<b>Ci200QR</b>	Ugradbeni zvučnik kružnog oblika, 8Ω, 90 dB; Frequency Response +/-6dB 2pi/open-backed: 35 Hz – 34 kHz; Finiš: White; komad;	<b>3.099,00</b>
<b>Ci200CR</b>	Ugradbeni zvučnik kružnog oblika, 8Ω, 90 dB; Frequency Response +/-6dB 2pi/open-backed: 45 Hz – 20 kHz; Finiš: White; komad;	<b>2.399,00</b>
<b>Ci200.3QT</b>	Stropni ugradbeni zvučnik, 8Ω, 89 dB, Frequency Response +/-6dB With back can/rear enclosure: 50 Hz – 30 kHz, Finiš: White, komad	<b>4.699,00</b>
<b>Ci EXTREME</b>		
<b>Ci200RR</b>	Ugradbeni zvučnik kružnog oblika, 4Ω, 90 dB; Frequency Response +/-6dB open-backed: 33 Hz – 28 kHz; Finiš: White; komad;	<b>4.299,00</b>
<b>Ci3160RL</b>	Ugradbeni zvučnik kvadratnog oblika, 4Ω, 90 dB; Frequency response (±6dB) open-backed: 45 Hz – 28 kHz; Finiš: White; komad;	<b>10.999,00</b>
<b>Ci3160RLb</b>	Ugradbeni zvučnik kvadratnog oblika, 4Ω, 92 dB; Frequency response (±6dB) open-backed: 20 Hz – 140 Hz; Finiš: White; komad;	<b>7.399,00</b>
<b>KASA-500</b>	Pojačalo D klase snage 250W za CI seriju subwoofera, Težina 4.0 kg; Finiš: crni	<b>7.399,00</b>
<b>Ci5160RL</b>	Ugradbeni zvučnik; 4Ω, 90 dB; Frequency response (±6dB) open-backed: 40 Hz – 28 kHz, Finiš: White, komad	<b>17.999,00</b>
<b>Ci4100QLb</b>	Ugradbeni zvučnik; 4Ω, 90 dB; Frequency response (±6dB) open-backed: 35 Hz – 120 kHz, Finiš: White, komad	<b>3.099,00</b>
<b>Ci4100QL</b>	Ugradbeni zvučnik; 4Ω, 89 dB; Frequency response (±6dB) open-backed: 55 Hz – 28 kHz, Finiš: White, komad	<b>3.899,00</b>