




AUDIO SAN d.o.o. Kozjak 54 10000 Zagreb		Tel: 01/4833-046 Fax: 01/234-7691 info@audiodream.hr www.audiodream.hr
ARTIKL		Cijena s PDV-om
<b>CD REPRODUKTORI</b>		
<b>CD 5si</b>	Nasljednik CD5i s boljim DAC-om (Burr Brown PCM1793), novijom laserskom optikom	<b>9.790,00</b>
<b>CD X2</b>	Mogućnost spajanja vanjskog napajanja XPS, 555PS	<b>41.790,00</b>
<b>CD 555</b>	Isključivo s napajanjem 555PS koje se kupuje zasebno	<b>136.800,00</b>
<b>INTEGRIRANA POJAČALA</b>		
<b>Naim Nait 5si</b>	2x60W (8ohm), 2x90W (4ohm), 4 analogna ulaza (2xDIN, 2xRCA), pojačalo za slušalice (6.35mm ulaz na prednjoj ploči), Težina: 6.4 kg	<b>9.790,00</b>
<b>Nait XS 2</b>	2x70W (8ohm), 2x100W (4ohm), 6 analognih ulaza (4xDIN / RCA, 1xRCA, 1xDIN za phono pretpojačalo); pojačalo za slušalice u A klasi, Težina: 8.4kg	<b>18.790,00</b>
<b>Supernait 2</b>	2x80W (8ohm), 2x135W (4ohm), 6 analognih ulaza (6 x DIN, 5 x RCA), subwoofer out, pojačalo za slušalice u A klasi, Težina: 13.4 kg; Dimenzije: 87x432x314 mm	<b>29.790,00</b>
<b>WIRELESS MUSIC SYSTEM</b>		
<b>Mu-so</b>	Internet radio, UPnP, Spotify Connect Airplay, Multiroom Streaming, USB, Bluetooth, Digital input (optički), 6 zvučnika (75W na 6 Ohm); Naim upravljačka aplikacija za iOS/Android, Težina: 13kg; Dimenzije: 122 x 628 x 256 mm	<b>8.950,00</b>
<b>Mu-so Qb</b>	Manja verzija Muso uređaja; Internet radio, UPnP, Spotify Connect Airplay, Multiroom Streaming, USB, Bluetooth, Digital input (optički); Zvučničke jedinice: 1 x Woofer: 145 x 76mm; 2 x Mid-range: 64mm diameter; 2 x Tweeter: 25mm diameter; 2 x Passive Radiator: 148 x 86mm; Težina: 5.6 kg; Dimenzije (VxŠxD): 210mm x 218mm x 212mm	<b>5.950,00</b>
<b>Mu-so prednja maska</b>	Dodatna prednja maska u specijalnim bojama: Deep Blue, Vibrant Red, Burnt Orange	<b>460,00</b>
<b>"ALL-IN-ONE" UREĐAJI</b>		
<b>Uniti Atom</b>	"All-in-One" uređaj; Google Cast™ for Audio, AirPlay, TIDAL, Spotify® Connect, Bluetooth (aptX HD), Internet Radio™, UPnP™ (Universal Plug 'n' Play), Digital Input (S/PDIF), Analogue Output, Headphones, Storage, HDMI ARC (optional), Multiroom, File Formats, Wireless Updates; Pojačalo: 40W A/B klasa; Težina: 7 kg;	<b>17.790,00</b>
<b>Uniti Atom HDMI</b>	Uniti Atom s HDMI ulazom	<b>19.490,00</b>
<b>Uniti Star</b>	"All-in-One" uređaj; Google Cast™ for Audio, AirPlay, TIDAL, Spotify® Connect, Bluetooth (aptX HD), Internet Radio™, UPnP™ (Universal Plug 'n' Play), Digital Input (S/PDIF), Analogue Output, Headphones, CD Playback and Ripping, Storage, HDMI ARC, Multiroom, File Formats, Wireless Updates; Pojačalo: 70W A/B klasa, Težina: 13 kg	<b>31.790,00</b>
<b>Uniti Star FM/DAB</b>	Uniti Star s FM/DAB modulom	<b>32.990,00</b>
<b>Uniti Nova</b>	"All-in-One" uređaj; Google Cast™ for Audio, AirPlay, TIDAL, Spotify® Connect, Bluetooth (aptX HD), Internet Radio™, UPnP™ (Universal Plug 'n' Play), Digital Input (S/PDIF), Analogue Output, Headphones, Storage, HDMI ARC (optional), Multiroom, File Formats, Wireless Updates; Pojačalo: 80W A/B klasa; Težina: 13 kg;	<b>38.790,00</b>
<b>Uniti Nova FM/DAB</b>	Uniti Nova s FM/DAB modulom	<b>39.990,00</b>
<b>MREŽNI REPRODUKTORI</b>		
<b>ND5 XS</b>	Internet radio, UpnP, Spotify Connect, Ulazi: Front USB, 1 x BNC, 1 x koaksijalni, 1 x optički; Analogni izlazi: 1 x DIN, 1 x RCA; Digitalni izlaz: BNC (75Ω), Naim upravljačka aplikacija za iOS i Android; Daljinski upravljač i DIN interkonekt, Težina: 6.5 kg, Dimenzije: 70x432x301 mm	<b>22.490,00</b>
<b>ND5 XS + FM/DAB</b>	ND5 XS s dodatnim FM/DAB tunerom	<b>25.990,00</b>
<b>NDX</b>	Internet radio, UpnP, Spotify Connect, Ulazi: Front USB, 1 x BNC, 1 x koaksijalni, 1 x optički; Analogni izlazi: 1 x DIN, 1 x RCA; Digitalni izlaz: BNC (75Ω), Naim upravljačka aplikacija za iOS i Android; Daljinski upravljač i DIN interkonekt, Težina: 10 kg, Dimenzije: 87x432x314mm	<b>35.490,00</b>
<b>NDX + FM/DAB</b>	NDX s dodatnim FM/DAB tunerom	<b>38.990,00</b>
<b>NDS</b>	Naim referentni streaner, 40bit SHARC Digital Signal Processor (DSP); Internet radio, UpnP, Spotify Connect, Ulazi: Front USB, 1 x BNC, 1 x koaksijalni, 1 x optički; Analogni izlazi: 1 x DIN, 1 x RCA; Digitalni izlaz: BNC (75Ω), Naim upravljačka aplikacija za iOS i Android; Daljinski upravljač i DIN interkonekt, Težina: 14 kg, Dimenzije: 87x432x314mm. Potrebno vanjsko napajanje (XP5 XS, XPS ili 555 PS)	<b>72.490,00</b>
<b>NDS + 2 x Burndy</b>	NDS s 2 Burndy interkonekta za spajanje na 555 PS	<b>76.490,00</b>
<b>D/A PRETVARAČI</b>		
<b>DAC</b>	Digitalni ulazi: 2 x koaksijalni S/PDIF, 2 x BNC, 4 x optički (svi 24bit, 32-192 kHz), 2 x USB ( 24 bit, 32-768 kHz) Izlazi: RCA i DIN, Težina: 5.6 kg; Dimenzije: 70x432x301 mm	<b>24.790,00</b>

AUDIO SAN d.o.o. Kozjak 54 10000 Zagreb		Tel: 01/4833-046 Fax: 01/234-7691 info@audiodream.hr www.audiodream.hr
ARTIKL		Cijena s PDV-om
DAC-V1	Digitalni ulazi: 2 x koaksijalni S/PDIF, 1 x BNC, 2 x optički (svi 24bit, 32-192 kHz), 1 x asinkroni USB (16-24 bit, 44.1-384 kHz) Izlazi: RCA i DIN, izlaz za slušalice (6.35mm) Težina: 54.3 kg; Dimenzije: 87x207x314 mm	<b>13.490,00</b>
<b>HARD DISK REPRODUKTORI</b>		
Uniti Core	HDD Music Server / CD-ripper; Dimenzije: 95 mm x 214 mm x 265 mm (H x W x D) 7 kg; Audio ulazi: 2 x USB Type A socket (prednji i stražnji); Digitalni izlaz: 1 x BNC	<b>16.790,00</b>
HDX	Audiofilski Hard Disk reproduktor/server, Bit perfect CD ripping i pohrana, 2 TB hard disk, Ulazi: 1 x front USB, 4 x back USB, ethernet, UPnP; Izlazi: koaksijalni S/PDIF, BNC (75Ω), optički, DIN & RCA; Težina: 10.8 kg; Dimenzije: 87x432x314 mm	<b>48.790,00</b>
HDX-SSD	HDX za SSD hard disk	<b>50.590,00</b>
<b>PRETPOJAČALA</b>		
NAC 202	Ulazi: 4 x DIN, 2 x RCA, 1 x DIN, 1 x 3.5mm jack; Izlazi: 2 x variable (DIN), 3 x line level; Napajanje putem izlaznih pojačala: NAP 155 XS, NAP 200 ili vanjskih strujnih napajanja: HiCap, SuperCap, NAPSC; Težina: 7 kg, Dimenzije: 87x432x314 mm	<b>20.490,00</b>
NAC-N 272	Pretpojačao i mrežni streamer, Internet radio, UPnP, Spotify Connect; Bluetooth; Analogni ulazi: 2 x RCA, 1 x DIN; Digitalni ulazi: 2 x koaksijalni S/PDIF, 1 x BNC (75Ω), 3 x optički, 1 x front USB; Analogni izlazi: 1 x DIN, 1 x RCA (varijabilni), 1 x RCA (Line out fixed), izlaz za slušalice; Digitalni izlaz: BNC (75Ω); Naim app za iOS i Android;	<b>33.990,00</b>
NAC-N 272 + FM/DAB	NAC-N 272 XS s dodatnim FM/DAB tunerom	<b>37.490,00</b>
NAC 282	Ulazi: 6 x DIN, 2 x RCA; Izlazi: 1 x variable DIN, 3 x fixed DIN; Napajanje putem NAPSC i izlaznih pojačala: NAP 155 XS, NAP 200 ili vanjskih strujnih napajanja: FlatCap XS, HiCap, SuperCap; Težina: 7 kg, Dimenzije: 87x432x314 mm	<b>48.990,00</b>
NAC 252	Ulazi: 6 x DIN, 2 x RCA; Izlazi: 2 x variable DIN, 3 x fixed DIN; Napajanje samo preko vanjskog strujnog napajanja: SuperCap; Težina: 7 kg, Dimenzije: 87x432x314 mm	<b>59.790,00</b>
NAC 552	Ulazi: 7 x DIN, 2 x RCA; Izlazi: 1 x variable DIN, 3 x fixed DIN; Napajanje samo preko vanjskog strujnog napajanja 552 PS; Težina: 12.9 kg, Dimenzije: 87x432x314 mm	<b>189.990,00</b>
Statement NAC S1	Ulazi: 3 x DIN, 3 x RCA, 2 x Balanced; 1 X Balanced, 2 X Unbalanced (4 pin DIN sockets); Težina: 61.5 kg; Dimenzije: 940 x 270 x 412mm	<b>575.000,00</b>
<b>IZLAZNA POJAČALA</b>		
NAP 100	50W na 8Ω, 75W na 4Ω; Odličan u kombinaciji s DAC V1 i UnitiServe; Ulazi: 1 x DIN, 1 x RCA; Težina: 5.1kg; Dimenzije: 87 x 207 x 314 mm	<b>7.490,00</b>
NAP 200 DR	70W na 8Ω; Interno strujno napajanje za direktnu konekciju na pretpojačala: NAC 152 XS, NAC 202, NAC 282; Ulazi: 1 x DIN; Težina: 11.9 kg; Dimenzije: 87 x 432 x 314 mm	<b>20.990,00</b>
NAP 250 DR	80W na 8Ω; Ulazi: 1 x DIN; Težina: 15.8 kg; Dimenzije: 87 x 432 x 314 mm	<b>36.490,00</b>
NAP 300 DR	90W na 8Ω; Ulazi: 2 x DIN; Težina: 12.6 kg; Dimenzije: 87 x 432 x 314 mm, napajanje preko vanjskog napajanja NAIM PS 300 (uključeno u cijenu)	<b>76.490,00</b>
NAP 500 DR	140W na 8Ω; Ulazi: 2 x DIN; Težina: 25 kg; Dimenzije: 160 x 432 x 374 mm, napajanje preko vanjskog napajanja NAIM PS 500 (uključeno u cijenu) + Burndy + PowerLine	<b>189.990,00</b>
Statement NAP S1	Mono izlaz; 746W na 8Ω, 1450W na 4Ω, 9kW burst power na 1Ω, Ulazi: 1 x XLR; Težina: 101 kg, Dimenzije 940 x 256 x 383mm	<b>499.000,00</b>
<b>GRAMOFONSKA OPREMA</b>		
Stageline	MM ili MC izvedba pretpojačala; Potrebno napajanje iz: NaimUniti 2, NAIT XS 2, SUPERNAIT 2, Naim pretpojačala (osim NAC-N 172 XS), Vanjska napajanja: FlatCap XS, HiCap, SuperCap; Težina: 1.2 kg; Dimenzije: 57x121x187 mm	<b>3.790,00</b>
Superline	Referentno MC pretpojačalo, Ulazi: RCA i BNC; Potrebno napajanje iz: NaimUniti 2, NAIT XS 2, SUPERNAIT 2, Naim pretpojačala (osim NAC-N 172 XS), Vanjska napajanja: FlatCap XS, HiCap, SuperCap; Težina: 7.7 kg; Dimenzije: 87x207x314 mm	<b>22.790,00</b>
<b>POJAČALO ZA SLUŠALICE</b>		
Naim HeadLine 2	Prikladno za slušalice od 8Ω – 2kΩ, 1 x DIN ulaz, napajanje preko NAPSC ili FlatCap, HiCap, SuperCap za koje je potreban dodatni SLIC kabel; Dimenzije: 57x121x187 mm	<b>4.990,00</b>
<b>STRUJNA NAPAJANJA</b>		
NAPSC 2	Dolazi u paketu s NAC 282 a može se koristiti i kao napajanje za HeadLine ili NAC 202	<b>4.490,00</b>
FlatCap XS	Može napajati 2 komponente od jednom; Težina: 5.5 kg; Dimenzije: 70x432x301 mm	<b>8.990,00</b>
HiCap DR	Discrete Regualtor tehnologija; Težina 7.5 kg; Dimenzije: 87x207x314	<b>12.790,00</b>
XPS DR	Discrete Regualtor tehnologija; Težina 7.5 kg; Dimenzije: 87x207x314	<b>36.990,00</b>
SuperCap DR	Discrete Regualtor tehnologija; Težina 11.6 kg; Dimenzije: 87x432x314	<b>42.490,00</b>
555 PS DR	Discrete Regualtor tehnologija; Napajanje za: CD555; NDS, NDX, HDX, CDX 2, DAC,	<b>63.990,00</b>
<b>ELEKTRONIČKE SKRETNICE</b>		

AUDIO SAN d.o.o. Kozjak 54 10000 Zagreb		Tel: 01/4833-046 Fax: 01/234-7691 info@audiodream.hr www.audiodream.hr
ARTIKL		Cijena s PDV-om
<b>SNAXO 242</b>	Prikladna za bi-amping ;Izlazi: 4 x DIN (4pin); Napajanje: FlatCap, HiCap, SuperCap;	<b>13.990,00</b>
<b>SNAXO 362</b>	Prikladna za tri-amping ;Izlazi: 6 x DIN (4pin); Napajanje: FlatCap, HiCap, SuperCap;	<b>13.990,00</b>
<b>SNAXO (BMR)</b>		<b>22.490,00</b>
<b>KABLOVI I PRIBOR</b>		
<b>NAC A5</b>	Zvučnički kabel, cijena po metru (bez terminacije)	<b>290,00</b>
<b>Super Lumina SC 3m</b>	Zvučnički kablovi, Duljina: 2 x 3m, (terminiran bananama ili vilicama)	<b>17.490,00</b>
<b>Super Lumina SC 5m</b>	Zvučnički kablovi, Duljina: 2 x 5m, (terminiran bananama ili vilicama)	<b>29.190,00</b>
<b>Super Lumina RCA-RCA</b>	Interkonekcijski kablovi, Duljina 1.5m	<b>19.390,00</b>
<b>Super Lumina DIN-RCA</b>	Interkonekcijski kablovi, Duljina 1.5m	<b>18.990,00</b>
<b>Super Lumina DIN-XLR</b>	Interkonekcijski kablovi, Duljina 1.0m, (4pin DIN – XLR)	<b>14.690,00</b>
<b>Super Lumina DIN-DIN</b>	Interkonekcijski kablovi, Duljina 1.5m	<b>16.990,00</b>
<b>Super Lumina XLR-XLR</b>	Interkonekcijski kablovi, Duljina 1.5m	<b>28.990,00</b>
<b>SNAIC</b>	DIN interkonekcijski kabel; 4-pin ili 5-pin; Dužina: 1.25 m	<b>1.590,00</b>
<b>DC1</b>	Digitalni interkonekcijski kabel; Varijante: RCA-RCA, BNC-BNC, RCA-BNC i BNC-RCA	<b>2.790,00</b>
<b>BURNDY</b>	Power supply interkonekcijski kabel; Dužina: 1.25m	<b>4.590,00</b>
<b>Hi-Line</b>	Interkonekcijski kabel; Varijante: DIN-DIN, RCA-RCA, DIN-RCA; Dužina: 1.25m	<b>6.790,00</b>
<b>WA5</b>	Wireless antena	<b>150,00</b>
<b>NARCOM-6</b>	Daljinski upravljač	<b>990,00</b>
<b>R-Com</b>	Daljinski upravljač	<b>3.390,00</b>
<b>Mu-So Remote</b>	Daljinski upravljač za Naim Muso i Naim Muso QB	<b>150,00</b>
<b>Power-Line</b>	Strujni kabel	<b>4.990,00</b>
<b>STALCI ZA KOMPONENTE</b>		
<b>FraimLite Base</b>	Baza stalka za komponente	<b>3.990,00</b>
<b>FraimLite Base &amp; Level</b>	Baza + 1 level (samo standardna visina - 115 mm)	<b>5.590,00</b>
<b>FraimLite Two Level</b>	Two Level Twin pack (samo standardna visina 115 mm)	<b>3.990,00</b>
<b>FraimLite Level Standard</b>	1 level stalka za komponente (115 mm)	<b>3.190,00</b>
<b>FraimLite Level Medium</b>	1 level stalka za komponente (190 mm)	<b>3.690,00</b>
<b>FraimLite Level Tall</b>	1 level stalka za komponente (264 mm)	<b>3.890,00</b>
<b>Fraim Base</b>	Baza stalka za komponente	<b>7.690,00</b>
<b>Fraim Level Standard</b>	1 level stalka za komponente (115 mm)	<b>4.990,00</b>
<b>Fraim Level Medium</b>	1 level stalka za komponente (190 mm)	<b>5.390,00</b>
<b>Fraim Level Tall</b>	1 level stalka za komponente (264 mm)	<b>5.490,00</b>